



# BlueCross BlueShield of Vermont

An Independent Licensee of the Blue Cross and Blue Shield Association.

## Continuous Glucose Monitoring Corporate Medical Policy

File Name: Continuous Glucose Monitoring  
File Code: 1.01.VT20  
Origination: 01/2005  
Last Review: 04/2024  
Next Review: Policy Archived  
Effective Date: Policy Archived Effective 07/01/2024

### Description/Summary

Tight glucose control in patients with diabetes has been associated with improved health outcomes. Continuous Glucose Monitoring Systems (CGMS), also known as Continuous Glucose Monitoring (CGM) Devices, allow for automatic measurement of glucose levels in interstitial fluid every few minutes while the device is in use. Many devices are available to measure glucose levels automatically and frequently (e.g., every 5-10 minutes). The devices measure glucose in the interstitial fluid and are approved as adjuncts to or replacements for traditional self-monitoring of blood glucose levels. Devices can be used on a long-term (continuous) or short-term (intermittent) basis. Short-term use is generally conducted over a 72-hour period.

### Policy

#### Coding Information

Click the links below for attachments, coding tables & instructions.

[Attachment I- Code Table & Instructions](#)

See the BCBSVT prior approval list for durable medical equipment (DME) to determine prior approval requirements for CGMS.

#### When a service may be considered medically necessary

##### Long-term CGM Device Monitoring of Glucose Levels in Interstitial Fluid:

Long-term CGM device monitoring of glucose levels in interstitial fluid, as a technique of diabetic monitoring, may be considered **medically necessary** for initial authorization for a 12-month duration when:

- Patient has a diagnosis of diabetes mellitus, **AND**;

- Patient is on multiple daily doses of rapid/short acting insulin, **OR**;
- Patient is on an insulin pump.

Long-term CGM device monitoring of glucose levels in interstitial fluid, as a technique of diabetic monitoring, may be considered medically necessary for reauthorization for an additional 12month period when:

- Patient is adherent to their CGM regimen and diabetes treatment plan.

#### Short-term (Intermittent) CGM Device Monitoring of Glucose Levels in Interstitial Fluid:

Short-term CGM device monitoring of glucose levels in interstitial fluid may be considered **medically necessary** in patients with type 1 diabetes whose diabetes is poorly controlled, despite current use of best practices (see Policy Guidelines section). Poorly controlled type 1 diabetes includes the following clinical situations: unexplained hypoglycemic episodes, hypoglycemic unawareness, suspected postprandial hyperglycemia, and recurrent diabetic ketoacidosis.

Short-term CGM device monitoring of glucose levels in interstitial fluid may be considered **medically necessary** in patients with type 1 diabetes prior to insulin pump initiation to determine basal insulin levels.

Short-term CGM device monitoring of glucose levels in interstitial fluid may be considered **medically necessary** in patients with type 2 diabetes who require multiple daily doses of insulin whose diabetes is poorly controlled, despite current use of best practices (see Policy Guidelines section). Poorly controlled type 2 diabetes includes the following clinical situations: unexplained hypoglycemic episodes, hypoglycemic unawareness, and persistent hyperglycemia and A1C levels above target.

Short-term CGM device monitoring of glucose levels in interstitial fluid may be considered **medically necessary** in patients with type 2 diabetes who require multiple daily doses of insulin to determine basal insulin levels prior to insulin pump initiation.

#### **When a service is considered not medically necessary**

Any additional software or hardware required for downloading data from blood glucose monitors to computers is **not medically necessary**.

#### **When a service is considered investigational**

Glucose monitors that are not FDA-approved, including but not limited to those using infrared spectroscopy, are considered **investigational**.

Other uses of long-term and short-term CGM monitoring of glucose levels in interstitial fluid as a technique of diabetic monitoring are considered **investigational**.

### Replacement of lost, stolen or destroyed Durable Medical Equipment

We will replace one lost, stolen or destroyed Durable Medical Equipment, prosthetic or orthotic per Plan Year if not covered by an alternative entity (including but not limited to homeowners insurance and automobile insurance) if:

- the Durable Medical Equipment, prosthetic or orthotic's absence would put the member at risk of death, disability or significant negative health consequences such as a hospital admission;
- the Durable Medical Equipment is still under warranty.

Note: In order to replace a stolen item, we require you to submit documentation, such as a police report, with the request.

### Exclusions

We do not cover the replacement of a lost, stolen or destroyed Durable Medical Equipment, prosthetic or orthotic:

- if the criteria above have not been met; **AND**
- for more than one lost, stolen or destroyed Durable Medical Equipment, prosthetic or orthotic per Plan Year.

## Policy Guidelines

Short-term intermittent monitoring is generally conducted over 72-hour periods. It may be repeated subsequently depending on the patient's level of diabetes control.

**Best practices** in diabetes control include compliance with a self-monitoring blood glucose regimen of 4 or more finger sticks each day and use of an insulin pump or multiple daily injections of insulin. During pregnancy, 3 or more insulin injections daily could be considered best practice for patients not on an insulin pump prior to the pregnancy. Prior short-term (72-hour) use of an intermittent glucose monitor would be considered a part of best practices for those considering long-term use of a continuous glucose monitor.

Significant hypoglycemia may include recurrent, unexplained, severe (generally blood glucose levels <50 mg/dL) hypoglycemia or impaired awareness of hypoglycemia that puts the patient or others at risk.

Individuals with type 1 diabetes taking insulin who are pregnant or about to become pregnant with poorly controlled diabetes are another subset of patients to whom the policy statement on intermittent monitoring may apply.

### Reference Resources

1. Blue Cross and Blue Shield Association Policy MPRM 1.01.20 - Continuous or Intermittent Monitoring of Glucose in the Interstitial Fluid. Last reviewed 08/2023. Accessed 11/2023.
2. Glucose monitoring in the ambulatory management of nonpregnant adults with diabetes mellitus - UpToDate. Literature review current through 10/2023.

Accessed 11/2023.

## Related Policies

External Insulin Pumps

## Document Precedence

Blue Cross and Blue Shield of Vermont (BCBSVT) Medical Policies are developed to provide clinical guidance and are based on research of current medical literature and review of common medical practices in the treatment and diagnosis of disease. The applicable group/individual contract and member certificate language, or employer's benefit plan if an ASO group, determines benefits that are in effect at the time of service. Since medical practices and knowledge are constantly evolving, BCBSVT reserves the right to review and revise its medical policies periodically. To the extent that there may be any conflict between medical policy and contract/employer benefit plan language, the member's contract/employer benefit plan language takes precedence.

## Audit Information

BCBSVT reserves the right to conduct audits on any provider and/or facility to ensure compliance with the guidelines stated in the medical policy. If an audit identifies instances of non-compliance with this medical policy, BCBSVT reserves the right to recoup all non-compliant payments.

## Administrative and Contractual Guidance

### Benefit Determination Guidance

Prior approval may be required and benefits are subject to all terms, limitations and conditions of the subscriber contract.

Incomplete authorization requests may result in a delay of decision pending submission of missing information. To be considered complete, see policy guidelines above.

NEHP/ABNE members may have different benefits for services listed in this policy. To confirm benefits, please contact the customer service department at the member's health plan.

Federal Employee Program (FEP): Members may have different benefits that apply. For further information please contact FEP customer service or refer to the FEP Service Benefit Plan Brochure. It is important to verify the member's benefits prior to providing the service to determine if benefits are available or if there is a specific exclusion in the member's benefit.

Coverage varies according to the member's group or individual contract. Not all groups are required to follow the Vermont legislative mandates. Member Contract language takes precedence over medical policy when there is a conflict.

If the member receives benefits through an Administrative Services Only (ASO) group, benefits may vary or not apply. To verify benefit information, please refer to the member's employer benefit plan documents or contact the customer service department. Language in the employer benefit plan documents takes precedence over medical policy when there is a conflict.

### Policy Implementation/Update information

01/2006	Annual review, CPT codes updated, no other changes.
02/2007	Annual review; clarified language that this policy is specific for 72 hour monitoring provided in an outpatient setting. Reviewed by the CAC 05/2007
01/2008	Annual review. No changes made. To be reviewed by the CAC 03/2008
11/2009	Annual review. Policy revised to adopt the BCBSA Medical Policy in its entirety. Name changed to reflect the expanded scope of policy to address both short-term and long-term use of continuous glucose monitoring. New policy statement added that intermittent (72 hours) glucose monitoring may be considered medically necessary when specific criteria are met; continuous (long-term) monitoring also may be considered medically necessary when specific, but different, criteria are met.
11/2011	Updated and placed in new format. New language on investigational uses of CGMS added. Additional CPT code added for interpretation of physiologic data. New criteria added. Reimbursement language for professional interpretation added.
02/2014	ICD-10 remediated, minor format changes. Prior approval statement revised. RLJ
08/2015	ICD-9 codes removed. Sections headers and standard language updated and clarified.
08/2018	External feedback received. Description Summary updated Added language under medically necessary criteria. Investigational medial criteria updated. Updated eligible provider language. Removed ICD-10_CM table. Added codes 95250, 95251, K0553, K0554. Revised code descriptors for 95250 & 95251- added 95249.
11/2018	Clarified wording and reviewed references.
03/2019	Updated procedure codes, removed PA requirement for the following: A9276, A9277, A9278, K0553, K0554.
04/2020	Remove A9274-PA required over dollar threshold requirement.
12/2020	Policy reviewed. Aligned with BCBSA MPRM 1.01.20 with updated language for Diabetes Type I and Type II indications. Removed "Continuous glucose monitoring is not medically necessary for intermittent glucose monitoring for periods of less than 72 hours."
02/2021	Policy statement unchanged. Coding table added codes 0446T, 0447T, & 0448T as medically necessary if medical policy criteria has been met.

12/2021	Updated to align with pharmacy channel policy. Codes A9276, A9277, A9278 will require prior approval.
02/2022	Name changed from “Continuous or Intermittent Glucose Monitoring (CGMS) in Interstitial Fluid” to “Continuous Glucose Monitoring”; references updated. Removed policy statement around implantable CGM devices as investigational.
06/2022	Adaptive Maintenance effective 07/01/2022. Added codes G0308&G0309 added to coding table
07/2022	Added codes A4238 & E2102 will require prior approval.
12/2022	Adaptive Maintenance Effective 01/01/2023: Deleted codes: G0308, G0309, K0553, K0554. Updated Descriptors: A4238, A9276, A9277, A9278, E2102. Added codes 0740T & 0741T as investigational to the coding table. Added codes A4239 & E2103 as requiring prior approval.
12/2023	Policy reviewed. Minor formatting changes. References updated.
04/2024	Policy archived effective 07/01/2024.

### Eligible providers

Qualified healthcare professionals practicing within the scope of their license(s).

### Approved by BCBSVT Medical Directors

Tom Weigel, MD, MBA  
Vice President and Chief Medical Officer

Tammaji P. Kulkarni, MD  
Senior Medical Director

ARCHIVED EFFECTIVE 7/1/2024

Attachment I  
Code Table & Instructions

Code Type	Number	Description	Policy Instructions
<b>The following codes are considered medically necessary when applicable criteria have been met.</b>			
CPT®	95249	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; patient-provided equipment, sensor placement, hook-up, calibration of monitor, patient training, and printout of recording	
CPT®	95250	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording	
CPT®	95251	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; interpretation and report	
CPT®	0446T	Creation of subcutaneous pocket with insertion of implantable interstitial glucose sensor, including system activation and patient training	
CPT®	0447T	Removal of implantable interstitial glucose sensor from subcutaneous pocket via incision	
CPT®	0448T	Removal of implantable interstitial glucose sensor with creation of subcutaneous pocket at different anatomic site and insertion of new implantable sensor, including system activation	

HCPCS	A4238	Supply allowance for adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month supply = 1 unit of service	Prior Approval Required
HCPCS	A4239	Supply allowance for nonadjunctive, nonimplanted continuous glucose monitor (CGM), includes all supplies and accessories, 1 month supply = 1 unit of service	Prior Approval Required
HCPCS	A9274	External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories	
HCPCS	A9276	Sensor; invasive (e.g., subcutaneous), disposable, for use with non-durable medical equipment interstitial continuous glucose monitoring system, one unit = 1 day supply	Prior Approval Required
HCPCS	A9277	Transmitter; external, for use with non-durable medical equipment interstitial continuous glucose monitoring system	Prior Approval Required
HCPCS	A9278	Receiver (monitor); external, for use with non-durable medical equipment interstitial continuous glucose monitoring system	Prior Approval Required
HCPCS	E2102	Adjunctive, non-implanted continuous glucose monitor or receiver	Prior Approval Required
HCPCS	E2103	Non-adjunctive, non-implanted continuous glucose monitor or receiver	Prior Approval Required
HCPCS	S1030	Continuous noninvasive glucose monitoring device, purchase (for physician interpretation of data, use CPT® code)	Prior approval is required for DME with a purchase price over the dollar threshold.



HCPCS	S1031	Continuous noninvasive glucose monitoring device, rental, including sensor, sensor replacement, and download to monitor (for physician interpretation of data, use CPT® code)	Prior approval is required for DME with a purchase price over the dollar threshold.
<b>The following codes will be denied as not medically necessary</b>			
CPT®	99091	Collection and interpretation of physiologic data (e.g. ECG, blood pressure, glucose monitoring) digitally stored and/or transmitted by the patient and/or caregiver to the physician or other qualified health care professional, requiring a minimum of 30 minutes of time.	Not medically necessary
<b>The following codes will be denied as investigational</b>			
CPT®	0741T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; initial set-up and patient education	Investigational
CPT®	0741T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; initial set-up and patient education; provision of software, data collection, transmission, and storage, each 30 days	Investigational